



Professional Airless Line Striping Systems



PROVEN QUALITY. LEADING TECHNOLOGY.

There is no other line striping system like the LineLazer Airless Professional Striping System.

Quality. Performance. Durability. Productivity.

Since 1990 Graco's LineLazer Airless Striping Systems have delivered on all counts and lead the pavement striping industry!

The LineLazer family of stripers has constantly been improved to meet the changing needs of the pavement marking industry, each time delivering substantial benefits to the professional striping contractor. The LineLazer V System continues the tradition of delivering innovation and performance, creating an unmatched family of stripers.

New for 2017, the LineLazer ES 1000 is the industry's first professional electric airless striper powered by high-output battery – opening up new opportunities for your business.

You can take pride in the fact that Graco stripers are designed, manufactured, and assembled right here in the United States of America.





What is the G4 Difference? Simply put, it's Graco's commitment to provide you with the very best airless line striping systems, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco is the name to turn to today and as your business grows.

PROVEN QUALITY

Each LineLazer striper boasts Graco quality and dependability that you can count on. For more than 25 years striping contractors have turned to Graco.

MAXIMUM **PERFORMANCE**

Each LineLazer System is engineered to deliver maximum performance for completing jobs quickly and efficiently.

INDUSTRY-LEADING WARRANTY

Graco backs each LineLazer System with a full 3-year warranty from defects in material and workmanship.

UNMATCHED **PRODUCTIVITY**

Superior design and innovative technology means you'll be getting the highest productivity in a line striping system. For more than 25 years, LineLazer has led the striping industry offering the ultimate in innovation, technology and unmatched quality for striping contractors worldwide.



INTRODUCED: 1990

- Industry-first Tri-Wheel Design
- Industry-first Airless Spray vs. Air Spray
- New LineLazer I 3500
- ▶ New LineLazer I 5000

LineLazer II

INTRODUCED: 1998

- ► Leverage industry-leading GMAX[™] Advantage Drive System
- ▶ New Fat Track[™] Wheel System
- ▶ New LineLazer II 3900
- ► New LineLazer II 5900
- ► New LineLazer II 200Hs

411144144

LineLazer III INTRODUCED: 2004

- ► Industry-first SmartControl[™] Digital Tracking System
- ► Industry-first QuikSelect[™] Gun Selector System
- ► New Easy Out[™] Filter System
- ▶ New LineLazer III 3900
- ► New LineLazer III 5900
- ► New LineLazer III 200Hs

LineLazer IV

- Industry-first Advanced
 Vibration Reduction System
- Industry-leading Endurance Pump System
- ► Industry-first Auto-Layout™ System
- ► New LineLazer IV 3900
- ► New LineLazer IV 5900
- ► New LineLazer IV 200Hs

LineLazer V

INTRODUCED: 2016

- Industry-first Automatic Guns in walk behind striper
- Industry-first Semi-automatic Guns in a walk behind striper
- Exclusive Auto-Layout II
- LineLazer V 3900
- LineLazer V 5900
- ► LineLazer V 200Hs



ES 1000

- INTRODUCED: 2017
- Industry-first professional electric battery-powered airless striper
- ► No Engine Noise
- ► No Engine Vibration
- ► No Engine Fumes

The Evolution of the Graco LineLazer: The cumulation of over 25 years of unparalleled expertise in engineering and innovation. No one makes a striper like LineLazer.



BREAKTHROUGH INNOVATIONS ONLY FOUND ON THE LINELAZER V!

DualComfort Handle Bar System

Rear Gun Bar Holder

Green Dot Laser

EasyMark™ Gun Adjustment System

LiveLook™ Display with SmartControl™

Distinctive Blue Frame

EZ Align™ Wheel System

THE FIFTH GENERATION OF LINE STRIPING HAS ARRIVED

LINELAZER V STANDARD FEATURES











LiveLook Display with SmartControl

Striping Information At-A-Glance

- Track, measure and control every aspect of your job
- Screen tilts for visibility in all conditions
- SmartControl provides consistent spraying pressure for perfect lines

EasyMark Gun Adjustment System

Gun Adjustment has Never Been Easier!

- Exclusive Graco design
- Simple to use Guide Mark System
- Perfect gun alignment every time
- Industry-first "G" Clamp System

EZ Align Wheel System

Improved Front Wheel Adjustment

- Exclusive design by Graco
- Simple way to keep unit tracking straight
- No special tools needed

Advanced Vibration Reduction System

- Exclusive Graco design
- Eliminates vibration creating perfect lines
- ► Field-proven performance

ADDITIONAL LINELAZER V STANDARD FEATURES

Rear Gun Bar Holder

- Provides straighter long lines
- Easy adjustment
- A must have for long line jobs

Safety Grounding Green Wire

- Provides added protection when using solvent-based traffic paint
- Standard on all LineLazers

LineLazer RAC[®] 5 SwitchTip™ and Guards

- Provides industry-best sharp lines
- SwitchTip Graco design
- ► Use with all traffic paints

Honda® GX Engines

- Preferred by Professional Stripers
- Field proven performance

Easy Out™Filter System

- Exclusive Graco design
- Cleans from inside out– prevents costly downtime


Fat Track System

- Super stable tire design
- Infinite radius lock-in for precise arcs and circlesnice and wide at 3.5 inches

LINELAZER V HP AUTOMATIC FEATURES

LineLazer V HP Automatic includes ALL LineLazer V Standard Features **PLUS:**

UTOMATIC |



Automatic Paint Gun System

Automatically Stripe Skip-Lines!

- Quality solenoid driven system
- Produces lines with the push of a buttonno more operator fatigue!



Semi-Automatic Guns

Perfect to use for parking stalls!

- Takes the guesswork out of line length
- Excellent re-stripe tool



Data Logging Information (J-Log[™] System)

Truck-like feature in walk behind!

- ► Valuable job results at your finger tips
- Proof of job = More striping opportunities

On-Board Battery Power

Stay Charged!


- 12 Volt battery stays charged when unit is running
- Power to handle LED lights and safety beacons



Exclusive LineLazer V AUTOMATIC STRIPING MODES

Eliminate the fatigue that comes from pulling a lever all day for your striping jobs. How? With the new LineLazer V HP Automatic units you simply push a red button and the unit literally stripes for you! Take a look below at some of the ways "You'll never pull a lever again" – Only with Graco!

Only LineLazer V offers (4) distinct modes of striping!



LINELAZER V HP REFLECTIVE FEATURES

LineLazer V HP Reflective includes ALL LineLazer V HP Automatic Features PLUS: Graco Exclusive Pressurized Bead System





Fully installed and ready to use out of the box ▶ Field proven design with long-lasting components


Automatic Paint Gun System

Semi-Automatic Guns

Perfect to use on airports!

- Takes the guesswork out of line length
- Excellent re-stripe tool





Data Logging Information (J-Log System)

Truck-like feature in walk behind!

- Valuable job results at your finger tips
- Proof of job = More striping opportunities

Pressurized or Gravity Bead System Exclusive Glass Bead System

- ► EZ Bead[™] Systems-Only from Graco
- Fully installed and ready to use out of the box

Choose the RIGHT SERIES for all your striping applications.

Graco offers a full range of LineLazer products to fit your unique needs - allowing you to complete jobs faster, more efficiently and with more accuracy. Whether you need the versatility of our **EPower Series**, the everyday reliability of our **Standard Series**, the increased speed and productivity of the **HP Automatic Series**, or the versatility of the high production **HP Reflective Series**, Graco offers the perfect striper that's designed specifically for you.

If You're an Indoor/Outdoor Striping Contractor

- > Your jobs range from small to medium
- ► You perform indoor/outdoor jobs
- You are looking for low noise, low vibration and no fumes



If You're a **Everyday Striping Contractor**

- > Your jobs range from small to medium
- > You perform mostly re-stripe jobs
- > You need a single-color, single-gun striping solution



You need an EPOWEr Series striper.

INDOOR/OUTDOOR STRIPING





You need a Standard Series striper.

EVERYDAY STRIPING

TOUGHER JOBS

If You're a High Production Striping Contractor

- > Your jobs range from medium to large
- You stripe new parking lots, city streets, intersections and bike paths
- > You need a multi-gun, automatic system





If You're a **High Production Reflective Striping Contractor**

- ► Your jobs are typically larger
- > You stripe airports, large roadway and city projects
- You need a multi-gun, automatic gun system with pressurized beads





Electric Airless

LineLazer

DESCRIPTION LINELAZER ES 1000 (1-BATTERY) LINELAZER ES 1000 (2-BATTERY)

SPECIFICATIONS MAX TIP SIZE: MAX GPM (LPM) MAX PSI (BAR) PART # 25M226 25M315 0.025 0.60 (2.3) 3300 (227)





The **LineLazer ES 1000** the LineLazer ES 1000 is powered by a 100AH AGM battery – allowing it to be used safely indoors while having the power and performance needed for outdoor jobs. "Go Green" with this quiet, fume-free striper!



Includes the following features:

No Engine Noise

> Do any job anytime, without disruptive engine noise

No Engine Vibration

 Allows for perfect lines on all surfaces and reduces user fatigue

No Engine Fumes

 Enables you to spray indoors without production shut downs or disruptions

Deep Cycle 100AH AGM Battery

- 100AH AGM 12V sealed lead acid battery provides enough run time to spray up to 20 gallons/charge
- Add a second battery in parallel to increase your capacity and reduce your voltage drop – allowing you to stripe up to 60 gallons/charge

On-board 120V Inverter/Charger

 Simply plug in to recharge, no need for battery removal

120V Capability

 Get infinite spray time when using for stationary applications by running on 120V wall power – just plug it in

SmartControl 2.5

 Advanced pressure control system delivers consistent spray fan resulting in unmatched line quality

Exclusive Endurance Pump

Industry-best pump performance in this field-proven design

New ProConnect[™] System

 Industry-first for walk behind stripers allows quick on the job pump replacement

FastFlush[™]

 FastFlush high flow cleaning system runs faster and dramatically reduces cleaning time
 First time on a walk-behind striper!

EasyMark Gun Adjustment System

- Innovative gun adjustment design with "G" Clamp holder system
- ▶ 2-gun capable with QuikSelect[™] Gun Selector

Exclusive LineLazer Cart

- Industry's best balanced chassis for straighter lines
- Accepts LineDriver and many other Graco accessories that allow you to increase your productivity



The **LineLazer 3400** is the proven performer for your restripe jobs. As the preferred choice for 1-gun professional performance, the LineLazer 3400 is perfect for small parking lots, mini malls, seal coating contractors, schools and park and recreation departments.



Standard LineLazer Features:

New Frame

- Newly designed frame is 3 inch longer adding stability and improved tracking which results in improved line quality
- Now accepts 15-gallon hopper and EZ Bead System

New EasyMark Gun Adjustment System

- Simple guide mark system
- Easy gun on/off, front/back

Perfect gun set up-every time

New Rear Mount Hose Wrap

 Provides easy on/off for those demanding stencil jobs

Easy Reach Controls

- Operator controls are located on the handle bars
- You can fine tune the striper without stopping

New Handle Bar Design

- Redesigned for reduced vibration greatly reducing operator fatigue
- Contoured grips for greater comfort and control

Electronic Pressure Control

 Accurate, tight tolerance system provides excellent line quality

Chromex[™] Pump Rod

- Long life rod treatment for the most demanding materials
- Four times harder than ordinary chrome

Honda Power

 Contractor preferred-excellent power and proven reliability

Exclusive EasyOut Filter System

- 60 mesh filter for no plug performance
- Inside-out filtering prevent clogs

Endurance[™] Paint Pump

Industry best performance
 Proven design with 25 years of success

Front Swivel Wheel

- Provides easier "up to the curb" parking lot striping and hard-to-do curves
- Tapered locking pin design for years of dependable operation

One Gun System

LineLazer

LINE

(1-SPI MA) MA) MA) HON EN

| SCRIPTION Elazer 3400 Gun) | PART # 25M224 |
|---|-------------------------|
| CIFICATIONS (TIP SIZE: | 0.027 |
| (GPM (LPM): | 0.75 (2. |
| (PSI (BAR): | 3300 (2 |
| IDA GX Gine CC (HP): | 120 (4.0 |



Two Gun Systems

LineLazer V

PART # DESCRIPTION **LINELAZER V 3900 STANDARD** (2-GUNS, BOTH MANUAL) LINELAZER V 3900 17H450 HP AUTOMATIC (2-GUNS; 1-AUTOMATIC, 1-MANUAL) 17H452

LINELAZER V 3900 HP AUTOMATIC (2-GUNS; BOTH AUTOMATIC) 17H453

0.036 1-Gun

0.029 2-Guns

1.25 (4.7)

3300 (227)

120 (4.0)

SPECIFICATIONS MAX TIP SIZE:

MAX GPM (LPM): MAX PSI (BAR): HONDA GX

ENGINE CC (HP):

The LineLazer V 3900 is the airless line striping choice for professional striping contractors who want the industry's best striping unit. When it's time for 2-gun performance, no one does it better than Graco. Designed to deliver the most precise and consistent lines in the industry, it is the perfect choice for new lot layouts, medium to large parking lots, small city jobs and even big malls. With the option to add a LineDriver, the performance of the LineLazer V 3900 is unmatched.



HP Automatic Includes All Standard LineLazer V Features PLUS:

New Automatic, Semi-Automatic Guns

Push button control for accurate stripes every time

New Auto-Lavout II

- Easy to use-cuts layout time in half
- ► Exclusive Green Laser Guidance

New Data Logging with J-Log System

On-board job information for "proof" of completion

New On-Board Power

12V battery for all your accessory items

New One-Touch Stripes

Walk behind first

The **LineLazer V 5900** continues to be the mid to heavy-duty striping solution for professional contractors who recognize the increased productivity this leader delivers. With it's ability to use 1 or 2 airless paint guns there are no jobs too big or small for the LineLazer V 5900– large parking lots, city streets and everything in between. Known for years by professional contractors for its productivity, the innovations of this new generation positions the 5900 to again exceed all expectations.

Standard LineLazer V Features:

New EasyMark Gun Adjustment System

- Simple guide mark system
- Easy gun on/off, front/back
- Perfect gun set up-every time

New EZ Align Front Wheel System

- Keeps unit tracking straight
- Intuitive design

New DualComfort Handle Bar System

- Fits all users-easy to adjust
- Solid 8-bolt design

New LiveLook Display with SmartControl

- Tracks all aspects of your job
- Real-time information

Two Gun Systems

LineLazer V 5900

| DESCRIPTION LINELAZER V 5900 | PART # |
|---|----------------------------|
| STANDARD (2-guns; Both Manual) | 17H455 |
| LINELAZER V 5900 HP AUTOMATIC (2-GUNS; 1-AUTOMATIC, | |
| 1-MANUAL) | 17H457 |
| LINELAZER V 5900 HP AUTOMATIC | |
| (2-GUNS; BOTH AUTOMATIC) | 17H458 |
| SPECIFICATIONS | |
| MAX TIP SIZE: | 0.043 1-Gur 0.029 2-Gur |
| MAX GPM (LPM): | 1.60 (6.0) |
| MAX PSI (BAR): | 3300 (227) |
| HONDA GX Engine CC (HP): | 160 (5.5) |
| | |



New Automatic, Semi-Automatic Guns

Push button control for accurate stripes every time

New Auto-Layout II

- Easy to use-cuts layout time in half
- Exclusive Green Laser Guidance

New Data Logging with J-Log System

On-board job information for "proof" of completion

New On-Board Power

► 12V battery for all your accessory items

New One-Touch Stripes

Walk behind first

Hydraulic Airless

LineLazer RUnc

MAX PSI (BAR):

HONDA GX **ENGINE CC (HP):**

PART # DESCRIPTION LINELAZER 130HS (2-GUNS; BOTH MANUAL) SPECIFICATIONS MAX TIP SIZE: MAX GPM (LPM):

17H448 0.037 1-Gun 0.029 2-Guns 1.3 (4.9) 3300 (227)

120 (4.0)

The LineLazer 130_{Hs} is the ultimate hydraulic airless striping unit that contractors rely on for challenging striping jobs. Professional striping contractors wanting hydraulic performance and proven power cannot go wrong with the LineLazer 130Hs. As the preferred hydraulic striper for everyday jobs, it consistently delivers solid performance day in and day out.





High-Capacity Cooling System

Includes the following features:

Storage Compartment

New compartment for tips, guards and miscellaneous items

DualComfort Handle Bar System

- Fits all users—easy to adjust
- Solid 8-bolt design

EZ Align Front Wheel System

- Keeps unit tracking straight
- Intuitive design-simple to adjust

EasyMark Gun Adjustment System

- Simple guide mark system
- Easy gun on/off, front/back
- Perfect gun set up-every time

QuikSelect Gun Selector

Chrome gun lever for ease of use dependable operation

Honda Power

Contractor preferred-excellent power and proven reliability

Exclusive Easy Out Filter System

- ▶ 50 mesh filter for no plug performance
- Inside out filtering

Endurance Paint Pump

- Industry best performance
- Proven design with 25 years of success

The **LineLazer V 200**_{HS} is the high performance hydraulic striper you'll want for your most demanding jobs. It's proven history of innovative features has made it the striper of choice for contractors demanding a true workhorse. The LineLazer V 200_{HS} is the perfect unit for large parking lot jobs, airports, and city jobs that not only require precise line but also demand reflective beads. With high production features such as automatic and semi-automatic paint guns along with the EZ Bead Pressurized Bead System, this unit has no equal.



HP Automatic Series Includes All Standard Features PLUS:

New Automatic, Semi-Automatic Guns

Push button control for accurate stripes every time
 New Auto-Layout II
 Easy to use-cuts layout time in half
 Exclusive Green Laser Guidance

New Data Logging with J-Log System

On-board job information for "proof" of completion

New On-Board Power

12V battery for all your accessory items

New One-Touch Stripes

Walk behind first

HP Reflective Series Includes All HP Automatic Features **PLUS**:

Pressurized Bead System

Installed and ready to go

The best way to apply beads

Hydraulic Airless

LineLazer V 200HS

| ESCRIPTION NELAZER V 200HS STANDARD | PART # |
|--|----------------------------|
| (2-GUNS; BOTH MANUAL) Nelazer V 200HS HP Automatic System (2-guns; 1-automatic, | 17H461 |
| I-MANUAL) (2-GUNS; | 17H463 |
| BOTH AUTOMATIC) | 17H464 |
| NELAZER V 200HS HP REFLECTIVE (2-GUNS; BO AUTOMATIC. PRESSURIZED BEADS INSTALLED) | TH 17H465 |
| PECIFICATIONS | |
| AX TIP SIZE: | 0.047 1-Gun 0.034 2-Gun |
| AX GPM (LPM): | 2.15 (8.14) |
| AX PSI (BAR): Onda gx | 3300 (227) |
| ENGINE CC (HP): | 200 (6.5) |
| | |

LineLazer V 250sps—The Next Evolution in Line Striping.

Graco is the first to offer the **stand-on, self-propelled** striping unit. The **LineLazer V 250** sps is the stand-on striping solution for improved visibility and razor sharp lines. Innovation, quality and unmatched design—only from Graco.



Rear Stand-On or Flip-Up Platform System

Integrated platform provides ergonomic place for standing, great sight line and all-day comfort or flip-up platform for walk-behind operation. New 3-Wheel System Added stability for greater control and straighter lines.



High performance striping with the exclusive automatic paint guns makes the **LineLazer V 250**sps the preferred striper for professional contractors who demand hydraulic power. This striper is ideal for large, heavy-duty line striping jobs including parking lots and road jobs.



Automatic Gun Control System

Manual or automatic paint and bead guns with the push of a button

Electric Clutch System

Disengages engine for fast starting

25-Gallon (95 L) Paint Hopper

 Extended striping time with large capacity hopper

Honda 13 HP GX Engine–Electric Start

 Industry proven performance with the most demanded engine by contractors

Remote Mount - Control Box

- Simple to use and easy to see in all conditions
- Information at-a-glance

Graco Hydraulic Motor System

 Graco's no-stall hydraulic motor for uninterrupted performance

Flex Plus[™] Guns

 Industry proven paint guns with LineLazer tips provide precise lines

Endurance Piston Pump System

 Long life pump provides precise flow for wide range of striping materials

Rear Gun Mount System

 Provides straighter long lines-perfect for bike paths, airports and other long line jobs

Exclusive Self-Centering Front Wheel

- Eliminates one user interface for simpler operation
- Foam filled for stability

Stand-On, Self-Propelled

LineLazer V **250sps**

Self-Propelled System

(Patent Pending) DESCRIPTION PART # LINELAZER V 250SPS **HP AUTOMATIC** (2-GUN) 17H467 **LINELAZER V 250SPS HP REFLECTIVE** (2-GUN UNIT WITH PRESSURIZED BEAD SYSTEM INSTALLED) • 1 BEAD TANK 17J951 **LINELAZER V 250SPS HP REFLECTIVE** (2-GUN UNIT WITH PRESSURIZED BEAD SYSTEM INSTALLED) 2 BEAD TANKS 17H469 **SPECIFICATIONS** MAX TIP SIZE: 0.055 1-Gun 0.039 2-Guns 0.031 3-Guns 0.025 4-Guns 0.021 5-Guns MAX GPM (LPM): 2.5 (9.5) MAX PSI (BAR): 3300 (227) HONDA GX **ENGINE CC (HP):** 390 (13.0) **ELECTRIC START**



Self-Propelled System

LineLazer V **2500C** Self-Propelled System

DESCRIPTION Linelazer V 250DC HP Automatic

17H471

PART #

17H472

0.055–1 Gun 0.039–2 Guns 0.031–3 Guns 0.025–4 Guns 0.021–5 Guns

2.50 (9.5)

3300 (227)

390 (13) Electric Start

LINELAZER V 250DC HP AUTOMATIC (3 PAINT GUNS)

(2 PAINT GUNS)

LINELAZER V 250DC HP REFLECTIVE (2 PAINT AND BEAD GUNS WITH PRESSURIZED BEAD SYSTEM; 2 BEAD TANKS—INSTALLED) 17H473

LINELAZER V 250DC HP REFLECTIVE (3 PAINT AND BEAD GUNS WITH PRESSURIZED BEAD SYSTEM; 2 BEAD TANKS—INSTALLED) 17H474

SPECIFICATIONS MAX TIP SIZE:

MAX GPM (LPM): MAX PSI (BAR): Honda GX Engine CC (HP):

Exclusive Dual Color Line Striping System

Spray two colors *simultaneously* with Graco's new **LineLazer V 250**pc. Ideally suited for airports, municipalities, DOTs or anyone who needs to spray highlight lines or other dual-color stripes. The LineLazer V 250pc redefines line-striping productivity and flexibility by spraying two colors simultaneously or independently.



Dual Graco Hydraulic Motors

 No-Stall design provides uninterrupted performance

Dual Endurance Displacement Pumps

- Provides precise flow for a wide range of striping materials
- Exclusive Self-Centering Front Wheel
- Provides simpler operation

Exclusive Stand-On Platform

 Provides ergonomic place for standing, great view and all-day comfort

Dual 15-Gallon Paint Hoppers

 Simultaneously spray two colors and refill less often

Front or Rear Gun Mount

 Use up to six guns to create straighter long lines

Flex Plus Guns

 Industry proven paint guns provide precise lines

Graco Bead Guns

 Reliable design delivers proven performance

Honda 13 HP GX Engine

Electric start for ease of use

Dual Bead Tanks

Holds up to 240 lbs of beads (120 lbs each)

Electric Gun Control—Manual or automatic paint and bead guns with a push of a red button. AIRPORTS

ROAD LINES



INTERSECTIONS





Remote Mount SmartControl Skip Line

Track, measure and control every aspect of your job via a digital display.



Rear Platform

POWERED by HONDA



Honda Power

New 3-Wheel System Added stability for greater control and straighter lines. Black-white-black striping shown.

Ride-On System

LineDriver®

DESCRIPTION LINEDRIVER

SPECIFICATIONS **OPERATING SPEED:** 262004

PART #

FUEL CAPACITY (LTR): HONDA GX **ENGINE CC (HP):**

Up to 10 MPH (16 KM/h) **Reverse 6 MPH** (10 KM/h) 0.95 (3.6) 160 (5.5)

Why Walk When You Can Ride?

Graco offers two high performance LineDriver attachments to connect to your LineLazer striper to double your striping productivity.

The LineDriver and LineDriver HD attachments provide the most innovative, user-friendly ride-on systems for the professional striping contractor.

LineDriver HD

DESCRIPTION LINEDRIVER HD

SPECIFICATIONS OPERATING SPEED:

FUEL CAPACITY (LTR): HONDA GX **ENGINE CC (HP): STARTING SYSTEM:**

Reverse 6 MPH (10 KM/h) 0.95 (3.6) 200 (6.5)

ProStart

Up to 10 MPH (16 KM/h)

PART # 262005

Exclusive FlexBeam[™] Break-A-Way Light System

- Fully adjustable for all types of low light applications
- Break-A-Way design helps protect against costly repairs and keeps you on the job

Patented Dual Foot Pedal System

- For forward and reverse—move between jobs without having to PUSH!
- Patent No. 6,883,633

Exclusive ProStart[™] Engine Starting System

- Up to 50% less pulling effort to start the engine no more broken recoils
- Outperforms manual pull and electric start systems when the weather starts turning cooler

Honda Engine

- Compact, lightweight and powerful—Honda engines are reliable, technologically advanced and easy to start
- Oil Alert shuts down engine if oil level drops too low, preventing damage
- Contractor preferred

POWERED by HONDA



ENDURANCE[™] **ADVANTAGE** P R O G R A M

A SOLUTION TO KEEP YOU STRIPING

Graco knows the last thing you can afford is costly downtime. And with the Endurance Advantage Program, you'll never need to worry about it. When you buy any new Graco LineLazer line striper, you can purchase an additional Endurance Pump for **up to 80% OFF** the list price—keep a spare on hand to save yourself time and money on every job. Or if you'd rather repack your own pump, we'll let you choose a **FREE Repair Kit** instead. No matter what your choice, Graco ensures you'll always be up and striping! Simply follow the registration instructions included with your sprayer.





WARRANTY SPRAY PROTECTION

We stand behind every piece of equipment we manufacture with the industry's strongest warranty. Stripe with the confidence that you will probably never need to use Graco's warranty, but if you do. . . *we will be there.*

3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire striper.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*

Dissatisfied? Simply return the striper to the place you bought it within 30 days. They'll either exchange it for an identical striper or you can trade up to a larger striper at an additional cost.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get *FREE* next business day air freight delivery when distributor orders the part by 2 p.m. CST.

*NORTH AMERICA ONLY. See your local Graco distributors for country specifics.

Nobody Else Builds Stripers Like This

Accessories

LINELAZER V 3900/5900/130нs/200нs

AUTOMATIC UPGRADE KIT

25A527 Automatic Gun Upgrade Kit – Complete. (To upgrade a Standard Series unit to a HP Automatic Series – 1 auto gun, 1 manual gun) Kit includes: Control board, charger board, 12V battery and mounting hardware, (1) laser dot kit, 1 Solenoid kit, and 1 auto gun cable

BATTERY KIT

25A526 12V Battery Kit. Kit includes: (1) 12V battery, mounting hardware, charger board

SOLENOID KIT

25A490 Solenoid Kit. Includes: (1) Solenoid, cable. Will convert existing manual gun to fully automatic. Must have HP Series unit.

GUN KITS

- 25A491 Manual Gun Kit. Kit includes: Flex gun, LL5319 tip, guard, vertical gun bar, horizontal gun bar and manual gun cable (LineLazer V 3900, 5900 and 200Hs)
- 25A676 Manual Gun Kit. Kit includes: Flex gun, LL5319 tip, guard, vertical gun bar, horizontal gun bar and manual gun cable (LineLazer 130Hs)
- 25A492 Automatic Gun Kit. Kit includes: Flex gun, LL5319 tip, guard, vertical gun bar, horizontal gun bar and auto gun cable (LineLazer V 3900, 5900 and 200Hs)

GREEN DOT LASER

25A530 Green Dot Laser Kit. Kit includes: Laser, laser mount and all hardware (battery and charger not included)

BEAD SYSTEMS

BEAD SYSTEMS - To add either a gravity or pressurized bead system, see page 23.

TURF TIRE KIT

249082 Rear Turf Tire Kit. Includes (2) rear tires for use on turf fields

PAINT HOPPER Spend less time refilling and more time striping. 241104 15-Gallon for LineLazer 3900, 5900, 130Hs and 200Hs

LINE POINTER

25A620 40 inch Retractable Pointer Kit. Kit includes: Pointer and all necessary hardware to mount on all LineLazer V – 3900, 5900, 130Hs, 200Hs and LineLazer ES 1000 units only

нітсн кіт

245321 Hitch Kit. Kit includes: Hitch, ball and hardware to connect to LineDriver

LINEDRIVER BATTERY KIT

245343 LineDriver Battery Kit. Includes: battery and mounting brackets

LINELAZER V LIGHT KIT

17R473 High-output Light (LineLazer V 3900, 5900, 130Hs and 200Hs)





Accessories

LINELAZER V 250sps & 250dc

UPGRADE KIT FOR 2-PUMPS

17K356 LL250sps only: Add second pump kit – complete. (To upgrade from single pump SPS to a 2 pump DC) Kit includes: Paint pump, filter, hydraulic hose lines, dual 15-gallon paint tanks and all hardware

PAINT GUN KIT

17K791 Paint Gun Kit – Complete. Kit includes: Flex gun, LL5319 tip, guard, 7 ft paint hose 1/4 in, gun cable, gun mount

GREEN DOT LASER

25A691 Green Dot Laser Kit. Kit includes: Laser, laser mount and all hardware

BEAD SYSTEMS

BEAD SYSTEMS - To add either a gravity or pressurized bead system, see page 24.

STENCIL KITS

24G778 Paint Gun Stencil Kit. Includes: (1) Flex Gun, 286425 tip, guard and 50 ft x 1/4 in hose

238957 Hand Bead Applicator Kit. (Use with EZ Bead Pressurized Bead System only) and mounting brackets. Kit includes: 1 Bead gun, (2) 3/4 in x 24 ft clear hoses, .234 in/.35 degree tip, 1 ft extension tube

TURF TIRE KIT

249083 Rear Turf Tire Kit. Includes (2) rear tires for use on turf fields. Also fits standard LineDriver.

PAINT HOPPERS

- 278452 25-Gallon Hopper. (LL250sps only) Includes: (1) 25-gallon hopper, lid and straps
- 24V782 Dual 15-Gallon Hoppers. (LL250pc only) Includes: (2) 15-gallon hoppers, (2) lids, grommets and hardware



25-Gallon Hopper

Dual 15-Gallon Hoppers

LINELAZER V LIGHT KIT Provides improved visibility in low-light conditions. 24M598 High-output Light (LineLazer 250sps and 250pc)

LINELAZER ES 1000

PAINT HOPPER Spend less time refilling and more time striping. 17P444 15-Gallon for LineLazer ES 1000

GRAVITY BEAD SYSTEMS

To add a gravity bead system, see page 23.

BATTERIES

- 17N448 12V 100AH Single Battery
- 24Z724 2nd Battery Kit (includes (1) Battery (17N448) and battery connections)

GUN KIT

25A491 Manual Gun Kit. Kit includes: Flex gun, LL5319 tip, guard, vertical gun bar, horizontal gun bar and manual gun cable

HITCH KIT

24Z805 Hitch Kit. Kit includes: Hitch, ball and hardware to connect to LineDriver

GREEN DOT LASER

17P782 Green Dot Laser Kit. Kit includes: Laser, laser mount and all hardware

LINE POINTER

25A620 40 inch Retractable Pointer Kit

LINELAZER ES 1000 LED LIGHT KIT

17R472 High-output LED Light for LineLazer ES 1000

EZ Bead Dispensing Systems

| Part No. | Product Description | Unit/Bead System Compatibility Chart | | | | | | | | |
|----------|--|--------------------------------------|-------|-------------|--------------|--------------|--|--|--|--|
| | | LineL | .azer | LineLazer V | | | | | | |
| EZ Bea | d Gravity Dispensing System (Kits) | ES 1000 | 3400 | 3900, 5900 | 130Hs, 200Hs | 250sps/250dc | | | | |
| 6 Inch | | | | | | | | | | |
| 277064 | Complete 2-Bead Dispenser System includes: (2) 6 in Bead Dispensers, (2) Wind Deflectors, (2) Hoses, (1) Bead Hopper with brackets | | | • | • | | | | | |
| 24M838 | Complete 2-Bead Dispenser System includes: (2) 6 in Bead Dispensers, (2) Wind Deflectors, (2) Hoses, (1) Bead Hopper with brackets | | | | | • | | | | |
| 277065 | Complete 1-Bead Dispenser System includes: (1) 6 in Bead Dispenser, (1) Wind Deflector, (1) Hose, (1) Bead Hopper with brackets | • | | • | • | | | | | |
| 24M641 | Complete 1-Bead Dispenser System includes: (1) 6 in Bead Dispenser, (1) Wind Deflector, (1) Hose, (1) Bead Hopper with brackets | | | | | • | | | | |
| 277067 | Replacement Kit includes: (1) 6 in Bead Dispenser, (1) Hose, (1) Wind Deflector | • | • | • | • | • | | | | |
| 24Z726 | Complete Kit includes: (1) 6 in Bead Dispenser, (1) Hose, (1) Wind Deflector, (1) Bead Hopper with brackets | | • | | | | | | | |
| 24Z727 | Complete Kit includes: (1) 12 in Bead Dispenser, (1) Hose, (1) Wind Deflector, (1) Bead Hopper with brackets | | • | | | | | | | |
| 12 Inch | - | 1 | | 1 | | 1 | | | | |
| 24N265 | Complete 1-Bead Dispenser System includes: (1) 12 in Bead Dispenser, (1) Wind Deflector, (2) Hoses, (1) Bead Hopper with brackets | • | | • | • | | | | | |
| 24N267 | Complete 1-Bead Dispenser System includes: (1) 12 in Bead Dispenser, (1) Wind Deflector, (1) Hose, (1) Bead Hopper with brackets | | | | | • | | | | |
| 245516 | Replacement Kit includes: (1) 12 in Bead Dispenser, (1) Hose, (1) Wind Deflector | • | | • | • | • | | | | |
| | | | | | LineLazer V | | | | | |
| EZ Bea | d Pressurized Dispensing System (Kits) | | | 3900, 5900 | 200нз | 250sps/250dc | | | | |
| 16R962 | Complete 1-Bead Gun Pressurized System includes: (1) Bead Gun, (1) Bead Tank with brackets, (1) Compressor and (1) Air Tank | | | | | • | | | | |
| 16R961 | Complete 2-Bead Gun Pressurized System includes: (2) Bead Guns, (1) Bead Tank with brackets, (1) Compressor and (1) Air Tank | | | | | • | | | | |
| 16R955 | Complete 1-Bead Gun Pressurized System includes: (1) Bead Gun, (1) Bead Tank with brackets, (1) Compressor and (1) Air Tank | | | | • | | | | | |
| 16R960 | Complete 2-Bead Gun Pressurized System includes: (2) Bead Guns, (1) Bead Tank with brackets, (1) Compressor and (1) Air Tank | | | | • | | | | | |
| 16U439 | 2nd Pressurized Bead Tank Kit includes: (1) Bead Tank with mounting hardware | | | | | • | | | | |
| 16R963 | Pressurized Bead Gun Kit includes: (1) Bead Gun, (1) .234 and (1) .281 Tip, Clear Hose and hardware | | | | • | • | | | | |

LineLazer RAC 5 SwitchTip Spray Tips Graco's complete line of LineLazer SwitchTip spray tips have the right tip for all your striping needs.



| LINE WIDTH INCHES (mm) | .013 | .015 | .017 | .019 | .021 | .023 | .025 | .027 | .029 | .031 | .033 | .035 | .039 | .043 |
|---------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 2-4 (51-102) | 213 | 215 | 217 | 219 | | | | | | | | | | 110 |
| 4-6 (102-152) | | 315 | 317 | 319 | 321 | 323 | 325 | 327 | 329 | 331 | 333 | 335 | 339 | 343 |
| 4-8 (102-204) | | | 417 | 419 | 421 | 423 | 425 | 427 | 429 | 431 | | 435 | 439 | 443 |
| 8-12 (204-305) | | | | | 621 | 623 | 625 | 627 | 629 | 631 | | 635 | 639 | 643 |
| Flow Rate (gpm) | .18 | .24 | .31 | .38 | .47 | .57 | .67 | .77 | .90 | 1.03 | 1.17 | 1.31 | 1.63 | 1.98 |
| Flow Rate (lpm) | .69 | .91 | 1.17 | 1.47 | 1.79 | 2.15 | 2.54 | 2.96 | 3.42 | 3.90 | 4.42 | 4.98 | 6.18 | 7.51 |

LineLazer Specifications

| | | - | | | | |
|----------------|---|--|-------------------|--------------------------|---|---|
| | | LineLazer ES 1000 | LineLazer 3400 | LineLazer 130xs | LineLazer V 3900 | LineLazer V 59 |
| | Maximum Tip Size | 0.025 | 0.027 | 0.037 | 0.036 | 0.043 |
| | Maximum psi (bar) | 3300 (227) | 3300 (227) | 3300 (227) | 3300 (227) | 3300 (227) |
| | Maximum gpm (lpm) | 0.60 (2.3) | 0.75 (2.8) | 1.30 (4.9) | 1.25 (4.7) | 1.60 (6.0) |
| | Applications | Turf & Pavement | Turf & Pavement | Turf & Pavement | Turf & Pavement | Turf & Pavement |
| ATIONS | Honda GX Engine cc (hp) | N/A | 120 (4.0) | 120 (4.0) | 120 (4.0) | 160 (5.5) |
| SPECIEICATIONS | Weight Ib (kg) | 340 (154) - p/n 25M226 410 (186) - p/n 25M315 | 160 (73) | 263 (119) | 230 (104) Standard Unit 240 (109) HP Automatic Units | 250 (113) Standard Ur 266 (121) HP Automatic U |
| | Gun Support: 1 Gun 2 Guns 3 Guns 4 Guns 5 Guns | 0.025 0.019 — — — | 0.027 | 0.037 0.029 — — | 0.036 0.025 — — — | 0.043 0.029 — — — |









| | | | | | | | <u> </u> | | | |
|-----------------------|-----------------------------|---|---|--|---|--------------------------------------|--------------------------|---|---------------------------------------|--|
| | SERIES TYPE | EPOWER | STANDARD | STANDARD | STANDARD | HP AUT | TOMATIC | STANDARD | HP AUT(| |
| MODEL | Part Number | 25M226 – 1 Battery 25M315 – 2 Battery | 25M224 | 17H448 | 17H450 | 17H452 | 17H453 | 17H455 | 17H457 | |
| S | Gun(s) | Flex Plus | Flex Plus | Flex Plus | FlexPlus 2 Manual | FlexPlus 1 Automatic, 1 Manual | Flex Plus 2 Automatic | Flex Plus 2 Manual | Flex Plus 1 Automatic, 1 Manual | |
| INCLUDES | Hose | 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless | 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless | 3/8 in x 22 ft (9.5 mm x 6.7 m) BlueMax II Airless | 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless | | (9 | 3/8 in x 50 ft 9.5 mm x 15 m) IueMax II Airless | | |
| | SwitchTip | LineLazer RAC 5 | LineLazer RAC 5 | LineLazer RAC 5 | LineLazer RAC 5 | | | L | LineLazer RAC 5 | |
| | Easy Out Filter | 60 Mesh | 60 Mesh | 50 Mesh | 50 Mesh | | | | 50 Mesh | |
| | Туре | ProConnect | QuikChange System | QuikChange System | Qui | ikChange Systen | m | Qu | uikChange System | |
| | Intake | QuikAccess | QuikAccess | QuikAccess | | QuikAccess | | | QuikAccess | |
| PUMP | Rod | Chromex | Chromex | Chromex | | Chromex | | Chromex | | |
| - | Cylinder | Hardened SST | Hardened SST | Hardened SST | Harde | ened Stainless St | steel | Harde | ened Stainless Ste | |
| | Packings | V-Max Blue | V-Max Blue | V-Max Blue | V-Max Blue | | | | V-Max Blue | |
| KING | Tracking System | N/A | N/A | N/A | | SmartControl | | SmartControl | | |
| TRACKING FUEL TANK | Fuel Capacity gal (Itrs) | N/A | 0.66 (2.5) | 0.66 (2.5) | | 0.66 (2.5) | | | 0.95 (3.6) | |

LineDriver Specifications

| | | LineDriver | LineDriver HD |
|----------------|---|-------------------------|-------------------------|
| MODEL | Part Number | 262004 | 262005 |
| SN | Operating Speed: Forward mph (km/h) Reverse mph (km/h) | to 10 (16) to 6 (10) | to 10 (16) to 6 (10) |
| ATIO | Honda GX Engine Size cc (hp) | 160 (5.5) | 200 (6.5) |
| IFIC | Weight Ib (kg) | 265 (120) | 275 (125) |
| SPECIFICATIONS | Fuel Capacity gal (ltr) | .95 (3.6) | .95 (3.6) |
| | Engine Starting System | Manual Pull | ProStart |



| 00 | LineLazer V 200Hs | LineLazer V 250sps | LineLazer V 250pc | | | |
|-------------|---|---|--|--|--|--|
| | 0.047 | 0.055 | 0.055 | | | |
| | 3300 (227) | 3300 (227) | 3300 (227) | | | |
| | 2.15 (8.14) | 2.50 (9.5) | 2.50 (9.5) | | | |
| | Turf & Pavement | Turf & Pavement | Turf & Pavement | | | |
| | 200 (6.5) | 390 (13.0) Electric Start | 390 (13.0) Electric Start | | | |
| it Inits | 306 (139) Standard Unit 322 (146) HP Automatic Units 417 (153) HP Reflective Unit with Pressure Bead System-1 Tank | 666 (302) HP Automatic Units 778 (352) HP Reflective Unit with Pressure Bead System-2 Tanks | 752 (341) HP Automatic Units 864 (392) HP Reflective Units with Pressure Bead System-2 Tanks | | | |
| | 0.047 0.034 | 0.055 0.039 0.031 0.025 0.021 | 0.055 0.039 0.031 0.025 0.021 | | | |







| STANDARD | HP AUT | OMATIC | HP REFLECTIVE | HP Automatic | | | | | | | HP AUTOMATIC | | HP REFLECTIVE | |
|--|---------------------------------------|---|---|---|--|--|--|--|--|--|--------------|--|---------------|--|
| 17H461 | 17H463 | 17H464 | 17H465 | 17H467 | 17J951 | 17H469 | 17H471 | 17H472 | 17H473 | 17H474 | | | | |
| Flex Plus 2 Manual | Flex Plus 1 Automatic, 1 Manual | Flex Plus 2 Automatic | Flex Plus 2 Automatic, PBS INSTALLED 1 TANK | Flex Plus 2 Automatic | Flex Plus 2 Automatic, PBS INSTALLED 1 TANK | Flex Plus 2 Automatic, PBS INSTALLED 2 TANKS | Flex Plus 2 Automatic | Flex Plus 3 Automatic | Flex Plus 2 Automatic, PBS INSTALLED 2 TANKS | Flex Plus 3 Automatic, PBS INSTALLED 2 TANKS | | | | |
| 3/8 in x 22 ft (9.5 mm x 6.7 m) BlueMax II Airless | | | | 3/8 in x 22 ft (9.5 mm x 6.7 m) BlueMax II Airless | | | 3/8 in x 12 ft 2X (9.5 mm x 3.7 m) BlueMax II Airless | | | | | | | |
| | LineLa | zer RAC 5 | | LineLazer RAC 5 LineLazer RAC 5 | | | | | | | | | | |
| | 50 | Mesh | | 50 Mesh 50 Mesh | | | | | | | | | | |
| | QuikCha | nge System | | QuikChange System C | | | QuikChai | ikChange System | | | | | | |
| | Quik | Access | | | QuikAccess | ss QuikAccess | | | | | | | | |
| | Chi | romex | | Chromex Chron | | | romex | | | | | | | |
| Hardened Stainless Steel | | | Hardened Stainless Steel | | | Hardened Stainless Steel | | | | | | | | |
| V-Max Blue | | | | V-Max Blue | | | V-Max Blue | | | | | | | |
| SmartControl | | | | SmartControl | | | SmartControl | | | | | | | |
| | 0.9 | 5 (3.6) | | | 1.40 (5.3) | | | 1.40 | 0 (5.3) | | | | | |
| | 17H461 Flex Plus | 17H461 17H463 Flex Plus Flex Plus 2 Manual 1 Automatic, 1 Manual 3/8 ir (9.5 mm BlueMa LineLa: 50 QuikChar Quik Quik Chr Hardened S V-Ma Smar Smar | 17H461 17H463 17H464 Flex Plus Flex Plus Flex Plus 2 Manual Flex Plus 2 Automatic, 1 Manual 1 Manual 2 Automatic 3/8 in x 22 ft (9.5 mm x 6.7 m) BlueMax II Airless LineLazer RAC 5 50 Mesh QuikChange System QuikAccess Chromex Hardened Stainless Steel V-Max Blue | 17H461 17H463 17H464 17H465 Flex Plus Flex Plus Flex Plus 2 Automatic 2 Manual 1 Automatic, 1 Manual 2 Automatic PBS INSTALLED 1 Manual 3/8 in x 22 ft 9.5 mm x 6.7 m) 1 TANK Silve Max II Airless LineLazer RAC 5 Chromex QuikAccess QuikAccess V-Max Blue V-Max Blue | STANDARD HP AUTOMATIC HP REFLECTIVE AUTOMATIC 17H461 17H463 17H464 17H465 17H467 17H461 17H463 17H464 17H465 17H467 Flex Plus 2 Manual Flex Plus 1 Automatic, 1 Manual Flex Plus 2 Automatic Flex Plus 2 Automatic, PBS INSTALLED 1 TANK Flex Plus 2 Automatic 3/8 in x 22 ft (9.5 mm x 6.7 m) BlueMax II Airless (() LineLazer RAC 5 () QuikChange System Qui QuikAccess () Hardened Stainless Steel Harc V-Max Blue SmartControl () | STANDARD HP AUTOMATIC HP REFLECTIVE AUTOMATIC HP REFL 17H461 17H463 17H464 17H465 17H467 17J951 Flex Plus Flex Plus Flex Plus Flex Plus 2 Automatic, PBS INSTALLED 1 TANK 1 TANK 3/8 in x 22 ft 9.5 0 Mesh 50 Mesh 50 Mesh 50 Mesh 50 Mesh 50 Mesh 2 MuikAccess QuikAccess QuikAccess < | STANDARD HP AUTOMATIC HP REFLECTIVE AUTOMATIC HP REFLECTIVE 17H461 17H463 17H464 17H465 17H467 17J951 17H469 Flex Plus 2 Manual Flex Plus 1 Automatic, 1 Manual Flex Plus 2 Automatic, 1 Manual Flex Plus 2 Automatic, 1 Manual Flex Plus 2 Automatic, PBS INSTALLED 1 TANK Flex Plus 2 Automatic, PBS INSTALLED 1 | STANDARD HP AUTOMATIC HP REFLECTIVE AUTOMATIC HP REFLECTIVE HP AUT 17H461 17H463 17H464 17H465 17H467 17J951 17H469 17H471 Flex Plus 2 Manual Flex Plus 1 Automatic, 1 Manual Flex Plus 2 Automatic, 1 Manual Flex Plus 2 Automatic, PS INSTALLED Flex Plus 3 Altomatic, PS INSTALLED Flex Plus 3 Altomatic, PS INSTALLED Flex Plus 3 Altomatic, PS INSTALLED Flex Plus 3 Altomatic, PS INSTALLED Flex | STANDARD HP AUTOMATIC HP REFECTIVE AUTOMATIC HP AUTOMATIC 17H461 17H463 17H464 17H465 17H467 17J951 17H469 17H471 17H471 17H461 17H463 17H464 17H465 17H467 17J951 17H469 17H471 17H472 Flex Plus Flex Plus 2 Automatic, 1 Manual Flex Plus 2 Automatic, 2 Automatic, PS INSTALLED Flex Plus 2 Automatic, 2 Automatic, PS INSTALLED Flex Plus 2 Automatic, 2 Automatic, PS INSTALLED Flex Plus 2 Automatic, 2 Automatic, PS INSTALED Flex Plus 3 Automatic, 2 Automatic, PS INSTALED Flex Plus 3 Automatic, 2 Automatic, PS INSTALED Flex Plus S Automatic, 2 Automatic, PS INSTALED Flex Plus S Automatic, 2 Automatic, PS INSTALED Flex Plus< | STANDARD HP AUTOMATIC HP REFLECTIVE HP AUTOMATIC HP REFLECTIVE HP AUTOMATIC HP REFLECTIVE 17H461 17H463 17H464 17H465 17H465 17J951 17H469 17H471 17H472 17H473 Flex Plus 2 Manual Flex Plus 1 Automatic, 1 Manual Flex Plus 2 Automatic, 1 Manual Flex Plus 2 Automatic, PBS INSTALED 1 TANK Flex Plus 2 Automatic, PBS INSTALED 1 TANK Flex Plus 2 Automatic, PBS INSTALED 2 TANKS Flex Plus 3 Automatic, PBS INSTALED 2 TANKS Flex Plus 2 Aut | | | | |



ABOUT GRACO

| PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS P.O. Box 1441

Minneapolis, MN 55440-1441 Tel: 612-623-6000 Fax: 612-623-6777

AMERICAS

MINNESOTA Worldwide Headquarters Graco Inc. 88-11th Avenue N.E. Minneapolis, MN 55413

EUROPE

BELGIUM European Headquarters Graco N.V. Industrieterrein-Oude Bunders Slakweidestraat 31 3630 Maasmechelen, Belgium Tel: 32 89 770 700 Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd. Suite 17, 2 Enterprise Drive Bundoora, Victoria 3083 Australia Tel: 61 3 9468 8500 Fax: 61 3 9468 8599

CHINA

Graco Hong Kong Ltd. Shanghai Representative Office Building 7 1029 Zhongshan Road South Huangpu District Shanghai 200011 The People's Republic of China Tel: 86 21 649 50088 Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd. India Liaison Office Room 443, Augusta Point Regus Business Centre 53 Golf Course Road Gurgaon, Haryana India 122001 Tel: 91 124 435 4208 Fax: 91 124 435 4001

JAPAN

Graco K.K. 1-27-12 Hayabuchi Tsuzuki-ku Yokohama City, Japan 2240025 Tel: 81 45 593 7300 Fax: 81 45 593 7301

KOREA

Graco Korea Inc. Shinhan Bank Building 4th Floor #1599 Gwanyang-Dong, Dongan-Ku, Anyang-si, Korea 431-060 Tel: 82 31 476 9400 Fax: 82 31 476 9801

SALES/ DISTRIBUTION/ SERVICE Call today for product information or to request a demonstration. 800-690-2894 or visit us at www.graco.com. Graco Inc. is registered to I.S. EN ISO 9001

SERVICE

North America Customer Service 800-690-2894 Fax 800-334-6955

©2017 Graco Inc. 336673 Rev. N 01/17 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. Product covered by issued and pending patents, see graco.com/us/en/patents